


Meridian Seed Tenders were first in the industry and we continue to be first in innovation. Meridian has continuously incorporated the latest technological innovations to meet our customers' ever-changing needs. Meticulous attention to quality and detail reflects the attitude of an enthusiastic and skilled production team, providing confidence to each Meridian customer of a superior and dependable product. Meridian's best references are the thousands of farmers and commercial customers who have experienced the quality and value of the Meridian family of products.

Meridian offers the largest selection of seed tenders in the seed handling industry and can accommodate any farming operation. We take the work out of loading seed into your planter or drill—decreasing the downtime in the field in order to keep your tractor and planter moving.

Our tenders are designed with you in mind. We've optimized our tenders for various seed products, larger volume through-out, increased holding capacities, new hydraulic drive with wireless remote control and our premium powder coat paint finish, which creates a superior paint adhesion for our tenders and the trailers they are mounted on.

Our service starts before you purchase a bulk seed tender by helping you select the unit with the options and accessories to best suit your farming operation. Meridian has a large dealer network and sales team available to help you choose the right seed tender for your operation.









SEED TITAN™ SR2 SERIES

SEED TITAN™ SR2 2 BOX

MEETS YOUR NEEDS

Designed to hold two bulk seed boxes, the Seed Titan SR2 functions great for filling individual seed boxes and handling commodities like corn, beans, rice, cotton, wheat, and oats. It's Patented Self-Centering Box

Guides can have your seed securely loaded and down the road in no time.

Meridian's new Titan SR2 Seed Tender provides a host of new, innovative features that take ease of use and product innovation to a whole new level. This next-generation tender is built to perform – a sturdier and more robust design, an inventive positioning mechanism, and the ability to interchange between a conveyor with Meridian's patented cleated belt or a one piece auger tube without hinge points. Both options are just some of the innovations designed to help improve the operational efficiency for your business. Meridian's proven patented Self Centering Box Guides continues to be the quickest, easiest, and safest way to load seed boxes onto the tender.

Meridian understands the fundamental needs of the grower – functionality, ease of use, and durability to name a few. Meridian also understands the importance of capacity, cycle time and accuracy – particularly as they apply to seeding season. To prove our understanding, we specifically designed the new Titan SR2 around these product attributes such as optional trailers and scale offerings. The result is something you simply have to see!







GREAT FEATURES. GREAT QUALITY.


STANDARD FEATURES:

- ➤ 7 " Auger unloads up to 625lbs/minute
- ➤ 7" Conveyor unloads up to 1250lbs/minute
- ► Patented Self-Centering Box Guides
- ► Secure lockdowns
- ► Easy gate controls
- ► 7000# Torsion axles trailer
- ► Diamond plate body and fenders
- ► Low profile deck
- ▶ Powder coat finish
- ► Electric start gas engine

OPTIONS:

- ➤ 7"x19' Polycup Auger or Meridian's Cleated Belt Conveyor
- Scale package
- Spouts
- 3-tier spout
- Short spout 48"
- ▶ Light package
- ► Talc applicator

Holds two 50 unit seed boxes



www.meridianmfg.com www.meridian



SEED TITAN™ SR2 4 BOX

SEED EXPRESS™ SERIES


CONVENIENCE & SPEED

Designed to hold four bulk seed boxes, the Seed Titan SR2 four box was developed for operations that purchase their seed in bulk boxes, giving producers the flexibility of taking up to four different seed varieties to the field. Available in an auger or conveyor unit allowing the unit to fill individual planter seed boxes or bulk fill planters. The Seed Titan SR2 works great for handling commodities like corn, beans, rice, cotton, wheat, and oats.





Holds four 50 unit seed boxes



STANDARD FEATURES:

- ▶ 7 " Auger unloads up to 625lbs/minute
- ▶ 7" Conveyor unloads up to 1250lbs/minute
- ► Patented Self-Centering Box Guides
- ► Secure lockdowns
- ► Easy gate controls
- ► Tandem 7000# Torsion axles trailer
- ► Diamond plate body and fenders
- ► Low profile deck
- ► Powder coat finish
- ► Electric start gas engine

OPTIONS:

GREAT FEATURES. GREAT QUALITY.

- ► 7"x19' Polycup Auger or Meridian's Cleated Belt Conveyor
- Scale package
- Spouts
- 3-tier spout
- Short spout 48"
- ► Light package
- Gooseneck hitch
- ► Talc applicator

With the grower in mind, Meridian offers a variety of bulk seed tenders to satisfy any size of operation. Meridian's lineup starts with the 110BST, which has a single compartment and polycup auger and extends to the 400SLD which has two compartments and a multitude of features. The 110BST and 225RST both have 6" polycup augers and a variable speed switch mounted at the end of the spout so you can control how much seed you are putting in. Their proven design is very user friendly and has been helping fill planters for many years. With the growth of the bulk fill planters Meridian was asked to develop a seed tender to meet the need for self loading. Meridian's model, which features our Patented Cleated Conveyor Belt, starts with the 240 which has features such as hydraulic raise/lower and belt operation of a 6" conveyor. The 240RT and 375RT models have standard features such as a 5 function wireless remote which controls: engine start/stop, hydraulic gates, conveyor swing, conveyor elevation and conveyor belt movement

Both RT models provide the grower the choice between a 6" conveyor with an 8" cleated belt or an 8" conveyor with a 12" cleated belt, as well as the ability to weigh product with an optional scale package. Meridian's 400SLD features a 6" conveyor with an 8" cleated belt or an 8" conveyor with a 12" cleated belt which is hydraulically raised/ lowered and driven. The conveyor on the 400SLD manually swings easily from front to rear of the tender - simply position the conveyor, open the gate open and engage the conveyor. With the 12" belt you can move up to 2,500 lb/min so your planet box will be full in a short amount of time. Like Meridian's RT model, the 400SLD has a wireless remote with the addition of a scale display built into the remote, giving you the ability to do other tasks while filling your boxes. Add the "Auto Convey" option and filling the seed box just got easier. Set the system to the desired amount and push the button and you can go focus on other items. Lastly, through the many years Meridian has been producing seed tenders we have seen the growing need for scales, talc/ graphite applicators and automated filling. In response, we have developed solutions to meet these requirements. Please ask your dealer about everything Meridian has to offer you





SEED EXPRESS™ 110BST

SEED EXPRESS™ 225RST

PROVEN ABILITY

In service for nearly 20 years, the 110BST has a compact design that can easily be pulled on it's own trailer or put in a truck bed as it has its own 4' x 4' skid base. The 110BST works great for handling commodities like corn, beans, wheat, and oats.





GREAT FEATURES. GREAT QUALITY.

Specifications 7' 11" 7' 5" 6' 1"

110 Units / 88 Bushel Capacity

STANDARD FEATURES:

- ► Unloads up to 400lbs/minute
- ► Roll back safety lid
- ➤ 3-tier telescopic spout
- ► Single compartment
- ► Wired remote throttle control
- ► Powder coat finish
- ▶ 6" polycup auger
- ► Electric start gas engine

OPTIONS:

- Trailer
- ▶ Wireless key FOB

VERSATILE

An upgrade to the Meridian team of farm favorites, the 225RST unit is equipped with two compartments and holds enough seed to keep you in the field all day. This model works great as a tender for planters with individual boxes and bulk fill planters. Fill your planter with ease by using the control located at the end of the spout. The 225RST is great for handling commodities such as corn, beans, wheat, and oats.







GREAT FEATURES. GREAT QUALITY.

STANDARD FEATURES:


- ► Unloads up to 400lbs/minute
- ► Bulk fill 6" polycup auger
- ▶ Two compartments
- ► Wired remote throttle control
- Agri Cover roll tarp
- ▶ Powder coat finish
- ► Electric start gas engine
- ➤ 3-tier telescopic spout

OPTIONS:

► Trailer

- ► Electric fold-over lift assembly
- ▶ Scale package
- ▶ Wireless key FOB
- Gooseneck hitch

225 Units / 180 Bushels Capacity



www.meridianmfg.com www.meridianmfg.com



SEED EXPRESS™ 240 BASIC

SEED EXPRESS™ 240RT

EXTRA VERSATILITY

Meridian's Seed Express 240 Basic is designed to handle and transport seed from mini-bulk bags, seed boxes or from a bulk seed facility. Our 240 features the hydraulic lower and raise and the hydraulic conveyor start/stop with variable speed setting. Also includes manual gates and rotation of the conveyor along with electric start engine.

OPTIONS:


▶ 7" X 48" short spout

► Talc applicator





240 Units / 192 Bushel Capacity



GREAT FEATURES. GREAT QUALITY.

STANDARD FEATURES:

- ► Unloads up to 1200lbs/minute
- ► 6"x19' conveyor tube with 8" Patented Meridian Cleated Belt
- ► Hydraulic variable speed conveyor
- ► Patented sample gates
- ► Two compartments
- ► 180° conveyor swing
- ► Agri-Cover FLE Drive roll tarp
- ▶ Powder coat finish
- ► Electric start gas engine

Seed Express 240BT is designed to handle and tran

ADVANCED CONTROL

Meridian's Seed Express 240RT is designed to handle and transport seed in mini-bulk bags, seed boxes or from a bulk seed facility. The 240RT features Meridian's advanced 5 feature control system with hydraulic drive to adjust discharge height, rotate conveyor 180° to the left or right, open/close the gates, start/stop the conveyor or run conveyor drive system and start/stop engine. Conveniently controlled via wireless remote.





GREAT FEATURES. GREAT QUALITY.


STANDARD FEATURES:

- ► 6"x19' Meridian cleated conveyor unloads up to 1200lbs/minute
- ▶ 8"x19' Meridian cleated conveyor unloads up to 2500lbs/minute
- ► Wireless 5 function remote control
- ▶ Two compartments
- ► Agri-Cover FLE Drive roll top
- ▶ Ultimate reach conveyor™
- ► Variable speed throttle control
- ► Powder coat finish
- ► Electric start gas engine

OPTIONS:

- ► Bumper hitch trailer
- ▶ Gooseneck trailer
- ► T14000ST Trailer
- Scale with digital readout
- ► "New" auto convey scale package
- Spouts
- 2-tier spout 10"
- 3-tier spout 7"
- Short stub spout
- Quick tach
- Talc applicator

240 Units / 192 Bushel Capacity



www.meridianmfg.com www.meridianmfg.com



SEED EXPRESS™ 375RT

SEED EXPRESS™ 400SLD

EASY TO OPERATE

Our 375RT features Meridian's advance control system with hydraulic drive to adjust discharge height, pivot conveyor to the left or right, open/ close gate and the conveyor drive system while offering extra capacity. Its dual compartments have a bulk holding capacity of 300 bushels. Equipped with our Patented Meridian cleated belt, the Seed Express 375RT ensures superior seed quality when handling large volumes.





375 Units / 300 Bushels Capacity **GREAT FEATURES. GREAT QUALITY.**

Specifications

STANDARD FFATURES:

- ► 6"x19' Meridian cleated conveyor unloads up to 1200lbs/minute
- ▶ 8"x19' Meridian cleated conveyor unloads up to 2500lbs/minute
- ► Wireless 5 function remote control
- ► Two compartments
- ► Variable speed
- ► Ultimate reach conveyor[™]
- ► Agri-Cover FLE Drive roll tarp
- ► Powder coat finish
- ► Electric start gas engine

OPTIONS:

- ▶ Bumper hitch trailer
- ▶ Gooseneck trailer
- ► T21000ST Trailer
- ► Scale with digital readout ► "New" auto convey scale package
- ▶ Spouts
- 2-tier spout 10"
- 3-tier spout 7"
- Short stub spout
- Quick tach
- ► Talc applicator

SELF-LOADING

The new Seed Express 400SLD is a ground breaking innovation from Meridian that takes on-farm seed tendering to a new level of versatility. It's conveyor design allows the user to unload the tender, fill the tender, and also allow the user to use the conveyor independently for all your farm needs. Now you can use the 24ft. conveyor to unload from gravity wagons or bins into a semi-trailer. Have your planter loaded up and be ready like never before.





GREAT FEATURES. GREAT QUALITY.


STANDARD FEATURES:

- ► 6"x24' Meridian cleated conveyor unloads up to 1200lbs/minute
- ► 8"x24' Meridian cleated conveyor unloads up to 2500lbs/minute
- ► Holds 400 units of seed at water level
- ≥ 24' conveyor with 14'6" discharge
- ► Conveyor can rotate over 180° from fully forward to fully backwards
- ► Agri-Cover FLE Drive roll tarp
- ► Wireless 6 function remote control
- Powder coat finish
- ► Quick connect conveyors
- ► Electric start gas engine

OPTIONS:

- ▶ Bumper hitch trailer
- Gooseneck trailer
- Scale with digital readout
- ► Spouts
- 10" flexhose
- 2-tier 10" spout
- Quick tach
- ► Talc applicator

400 Units / 320 Bushels Capacity



Versatile Mega Movers

SEED EXPRESS™ SR2 840 | 1050 | 1260

Meridian continues to lead the industry with innovative solutions in storage and handling equipment for the agricultural industry. For farm operations that require large capacity seed tenders, you need to look closely at Meridian's new line of Seed Express SR2 tenders. Meridian's new line offers the ideal blend of innovation, function and style. Amalgamating the best features of the previous model with new innovations that target enhanced functionality and ease of use, Meridian's new Seed Express SR2 line will enhance your on-farm operations while increasing your productivity.

Our newly redesigned Seed Express large capacity tender delivers 840, 1050, or 1260 cubic feet of seed, fertilizer and grain to your seeder. With 4 compartments on the 840, and 5 and 6 compartments on the 1050 and 1260, respectively, these large tenders can be used to transport multiple commodities and fertilizers at the same time. Because of their large capacity, these tenders can also be used as grain carts. The conveyor system offers several unique capabilities including auto features, conveyor synchronization, industry leading discharge heights and reach, and a patented cleated belt for high capacity.







ELECTRONICS:

- ► Intuitive touch screen interface.
- Meridian's control module is a fully functional user friendly touch screen that provides an easy to follow screen.
- Use the screen to operate all features of the tender, from unrolling the tarp, starting the engine, moving the conveyor, controlling conveyor speeds and picking gates.
- ▶ Deutsch connectors are used to protect electronics and the entire wiring harness is wrapped in a protective braided cover.
- ► Five function wireless remote control.





HYDRAULICS:

- ► Power pack gas tank and hydraulic tanks are mounted low for easy filling and access.
- ► The Honda engine can be started remotely including cold engine starts.
- ► There is minimal oil system head pressure at start-up
- The engine stars much quicker because there is only minimal hydraulic load at start-up. This saves on battery life.
- ► Improved Efficiency
- The system runs cool with an oil reservoir of only 2 gallons, which improves performance, even on hot days
- ► Hoses, Lines and fittings.
- Connection leaks are prevented by using a new hardline-to-hose connection technique.
- The overall number of hoses has been reduced which resolves the clutter at the rear of the tender, improves serviceability and allows for improved hose routing and fit & finish.

INCLINE CONVEYOR:

- ► Two incline conveyor lengths available:
- Standard length; 26' provides a discharge height of 14' 6" - 19'.
- Optional length: 17' provides a discharge height of 10' - 13' 3".
- Hopper uses a steel-rubber design with the forward portion of the hopper manufactured with rubber
- The forgiving nature of rubber allows for flexing should the hopper come into contact with other parts of the tender.
- Both the underbin and incline conveyors are speed adjustable and synchronized.



UNDERBIN CONVEYOR:

- ► Rod style frame structure.
- The underbin frame uses rods that form the 'pan' profile on which the belt rides
- This produces less friction than sheet metal pans and prevents situations where the belt freezes to the pan in cold weather conditions.
- This also provides a deeper trough profile for the belt improving the capacity of material flow while minimizing seed spill.
- The net effect is a smoother running belt.
- ► Belt speed synchronization.
- ► The synchronized system automatically adjusts the underbin speed based on the speed of the incline conveyor.
- ► If you need to unload the tender without the use of the incline conveyor, Meridian has designed the underbin to run independently and at high speed.
- Time to unload an entire 1260 tender is under 10 minutes.
- ➤ The gates operate incrementally from 0" to 4" opening. You can also fully open or fully close all of the gates in a single operation.

www.meridianmfg.com www.meridianmfg.com

SEED EXPRESS™ SR2 840 | 1050 | 1260

TALC APPLICATOR

TENDER BODY:

- ► Available in 840, 1050 and 1260 cu/ft sizes.
- ▶ A new mounting system improves the connection of the tender body to the trailer.

TRAILER:

- ► Custom integrated trailer with air ride suspension.
- ► Landing gear on the trailer has a clearance of 15".
- ► Access holes are positioned in the trailer frame to easily tension the belt.
- ➤ An under run rear bumper comes standard and easily swings down and out of the way, eliminating any interference with the conveyors.


TARP & LADDERS:

- ► The Agri-Cover[®] Roll Tarp can be operated by either wireless FOB or control screen.
- ► Ladders run along the body of the tender so you are able to see into each compartment.

OPTIONS:

- Front fenders manufactured with aluminum for a sturdy, long lasting design.
- ► Aluminum mag wheels.
- ► Fertilizer Package:
- Includes stainless steel conveyors.
- ► Scale Packages:
- Air ride sensors provides basic weight information.
- Load cell sensors provides accurate weights measurable for each tender compartment.
- ► Communication module allows Meridian's service technician to communicate remotely using 4G or WiFi, from our office to your field.

840 = 840 Units / 672 Bushel Capacity 1050 = 1050 Units / 840 Bushel Capacity 1260 = 1260 Units / 1008 Bushel Capacity



TALC AND GRAPHITE

Meridian's talc applicator is available on conveyor style seed tenders and the Titan SR2 models. It has the ability to apply talc or graphite to your commodities. The internal agitator makes sure that everything flows smoothly.







GREAT FEATURES. GREAT QUALITY.

STANDARD FEATURES:

- ► Ability to apply up to 1/2 pound of talc per minute.
- ► Holds up to 20 pounds of talc in a four gallon container
- ► Internal agitator keeps talc clump free
- ► Automatically powers on and off when the conveyor is started
- ► Capable of powering on and off via Meridian's wireless remote
- ► Manual override switch
- Manual speed selector
- ► Can be used for talc or graphite



www.meridianmfg.com www.meridianmfg.co

SEED TITAN™ | SEED EXPRESS™

FEATURES & OPTIONS



	SEED TITAN SR2 2 BOX	SEED TITAN SR2 4 BOX
COMMODITY BEST HANDLED	corn, beans, rice, peanuts, cotton, wheat, oats	corn, beans, rice, peanuts, cotton, wheat, oats
STANDARD FEATURES		
BOX GUIDES US PATENT #6,964,551	•	•
SECURE LOCKDOWNS	•	•
TOTAL CLEAN OUT	•	•
EASY GATE CONTROLS	•	•
LOW PROFILE DECK	•	•
ELECTRIC START GAS ENGINE	•	•
POWDER COAT FINISH	•	•
7" CONVEYOR W/8" MERIDIAN CLEATED BELT™		
UNLOADS UP TO 1250LBS/MINUTE	•	•
7" X 19' AUGER WITH POLYCUP FLIGHTING		
UNLOADS UP TO 625LBS/MINUTE	•	•
32" CONVEYOR INCLINE	•	•
#7000-TORSION AXLES WITH ELECTRIC BRAKES AND LIGHTS	•	
TANDEM #7000-TORSION AXLES WITH ELECTRIC BRAKES AND LIGHTS		•
3 – TIER TELESCOPIC SPOUT	•	•
SHUT OFF GATES	•	•
VARIABLE SPEED TOGGLE SWITCH	•	•
LOWER THROTTLE CONTROL	•	•
OPTIONS		
SCALES	•	•
CONVEYOR MODEL	•	•
AUGER MODEL	•	•



SEED EXPRESS	SEED EXPRESS
110BST	225RST
corn, beans, wheat, oats	corn, beans, wheat, oats


	corn, beans, wheat, oats	corn, beans, wheat, oats
STANDARD FEATURES		
SINGLE COMPARTMENT	•	
DUAL COMPARTMENTS		•
ROLL BACK SAFETY LID	•	
SHUT OFF GATE	•	•
CLEANOUT DOOR	•	•
6" AUGER WITH POLYCUP FLIGHTING	•	•
ELECTRIC START HONDA GAS ENGINE	•	•
CLUTCH SYSTEM	•	•
3-TIER TELESCOPIC SPOUT	•	•
WIRED REMOTE THROTTLE CONTROL	•	•
POWDER COAT FINISH	•	•
BULK FILL AUGER		•
ROLL BACK TARP		•
OPTIONS		



TRAILER







20 www.meridianmfg.com 21



Real Life Stories from Real People

EXPERIENCE THE ADVANTAGES

"The Meridian 375RT is the quickest in over-all unloading and positioning the seed where I need it in topping off a load, on a drill or into a truck or while filling super tote sacks over a scale! With the wireless remote we can run any of the functions from any position around the trailer or even in the truck as you maneuver around an unloading place!

The serviceability of the unit is unmatched with the "will always start and run well" Honda engine and the durability of the Hydraulic system! This our second season with this machine after delivering many thousands of bushels of seed and we are very happy!"

-Steve Beattie, Dumas, Texas

"Our Meridian Seed Tender has made filling the planter so much easier and quicker, we Love it"

-Darron Rusk, Sioux Rapids, Iowa

"The titan 2SE did exactly what is was supposed to do painlessly. It had no problem reaching my center fill bins. It was very easy to use and manuever. I was very satisfied with this purchase."

-Tom Olsen, Newell, Iowa

"What a time saver and value to our operation. I have a 240RT with scales so no more guess work...or coffee cans."

-Ben Greene, Webb, Iowa

"They are a progressive company that will update and change their equipment to meet our customer's needs. Meridian also offers an excellent sales and support staff. They are very knowledgeable and have reliable service."

-Brad Sloan, Garden City, Kansas









Storage and Handling | Experience the Advantages



